



























Timed Up and Go (TUG)



















Modified Clinical Test of Sensory Integration of Balance (mCTSIB)

> Quality Consortium

American Institute "Balance"











<section-header><section-header><section-header><section-header><section-header><section-header><section-header><text><text><text><text><text>





10. Perell, K.L, Nelson, A., Goldman, R.L., Luther, S.L., Prieto-Lewis, N., & Rubenstein, L.Z. (2001). Fall risk assessment measures: an analytic review. <i>The Journals of Gerontology. Series A, Biological Sciences and Medical Sciences</i> , 56(12), M761-6.
11. Sibley, K.M., Howe, T., Lamb, S.E., Lord, S.R., Maki, B.E., Rose, D.J, Jaglal, S.B. (2015). Recommendations for a core outcome set for measuring standing balance in adult populations: a consensus-based approach. <i>PLoS One</i> , 10(3).
12. Shumway-Cook, A., & Horak, F.B. (1986). Assessing the influence of sensory interaction on balance. Suggestion from the field. <i>Physical Therapy</i> , 66(10), 1548-50.
13. Steffen, T.M., Hacker, T.A., & Mollinger, L. (2002). Age- and gender-related test performance in community-dwelling elderly people: Six-minute Walk Test, Berg Balance Scale, Timed Up & Go Test, and gait speeds. <i>Physical Therapy</i> , 82(2), 128-37.
14. Whitney, S.L., Poole, J.L., Cass, S.P. (1998). A review of balance instruments for older adults. <i>The American Journal of Occupational Therapy</i> , 52(8), 666-71.
Consortium Consortium